

October 2004


**SEQUENCE STRATIGRAPHY,
SOUTHEAST COASTAL BASINS, BRAZIL:
PHASE II - DEEPWATER**

Volume 1: Text




Quality Control Approvals

Technical Content:

Signature: 
Name: J.P.G. FENTON
Title: Chief Stratigrapher
Date: 30/9/04

Editorial Content:

Signature: 
Name: LINDA M DUXBURY
Title: Editor
Date: 30/9/04

Please note:

The digital version of this report, provided on CD-ROM, also contains the raw biostratigraphic and lithostratigraphic data.

COPYRIGHT

SEQUENCE STRATIGRAPHY, SOUTHEAST COASTAL BASINS, BRAZIL: PHASE II - DEEPWATER

This copy of the above report has been sold to:

.....
No part of it may be reproduced by or for any other company,
organisation or individual without the written consent of
FUGRO ROBERTSON LIMITED.

This limitation does not, however, apply to parent companies
or wholly owned subsidiaries within the same group.

Fugro Robertson Limited
Llandudno, North Wales LL30 1SA, United Kingdom

October 2004

Warranty

Fugro Robertson Limited has made every reasonable effort to ensure that this report has been accurately prepared in accordance with accepted practices of the petroleum industry. Any interpretation or opinions expressed represent the best judgement of Fugro Robertson Limited; however, any use made of the report shall be based solely on the client's own judgement and Fugro Robertson Limited shall not be responsible or liable for any consequential loss or damages arising out of the use of this report.



CONTENTS**Volume 1: Text**

Chapters	Page
SUMMARY	0-1
1 INTRODUCTION	1-1
1.1 OBJECTIVES OF STUDY	1-1
1.2 PROVISIONAL DATA	1-1
2 PROJECT DATA	2-1
2.1 CONTRIBUTORS	2-1
2.2 DATA SOURCES	2-1
2.2.1 Samples	2-1
2.2.2 Wireline logs	2-2
2.2.3 Seismic data	2-2
2.2.4 Stratigraphic notation	2-4
2.2.5 GIS data	2-4
3 GEOLOGICAL HISTORY	3-1
3.1 INTRODUCTION	3-1
3.2 ESPIRITO SANTO BASIN	3-1
3.2.1 Tectonic setting/structural framework	3-1
3.2.2 Aptian and older (pre-PS SB) successions (rift and rift/drift transition)	3-2
3.2.3 Albian to mid-Cenomanian (PS SB to Ce3/Ce4 SB) successions (older Cretaceous drift)	3-2
3.2.4 Mid-Cenomanian to Cretaceous/Tertiary boundary (Ce3/Ce4 SB to Ma5 SB) successions (younger Cretaceous drift)	3-2
3.2.5 Cretaceous/Tertiary boundary to mid-Oligocene (Ma5 SB to Ru4/Ch1 SB) successions (older Tertiary drift)	3-2
3.2.6 Mid-Oligocene and younger (post-Ru4/Ch1 SB) successions (younger Tertiary drift)	3-2
3.3 CAMPOS BASIN	3-3
3.3.1 Tectonic setting/structural framework	3-3
3.3.2 Aptian and older (pre-PS SB) successions (rift and rift/drift transition)	3-3
3.3.3 Albian to mid-Cenomanian (PS SB to Ce3/Ce4 SB) successions (older Cretaceous drift)	3-3
3.3.4 Mid-Cenomanian to Cretaceous/Tertiary boundary (Ce3/Ce4 SB to Ma5 SB) successions (younger Cretaceous drift)	3-4

3.3.5	Cretaceous/Tertiary boundary to mid-Oligocene (Ma5 SB to Ru4/Ch1 SB) successions (older Tertiary drift)	3-4
3.3.6	Mid-Oligocene and younger (post-Ru4/Ch1 SB) successions (younger Tertiary drift)	3-5
3.4	SANTOS BASIN	3-5
3.4.1	Tectonic setting/structural framework	3-5
3.4.2	Aptian and older (pre-PS SB) successions (rift and rift/drift transition)	3-6
3.4.3	Albian to mid-Cenomanian (PS SB to Ce3/Ce4 SB) successions (older Cretaceous drift)	3-6
3.4.4	Mid-Cenomanian to Cretaceous/Tertiary boundary (Ce3/Ce4 SB to Ma5 SB) successions (younger Cretaceous drift)	3-6
3.4.5	Cretaceous/Tertiary boundary to mid-Oligocene (Ma5 SB to Ru4/Ch1 SB) successions (older Tertiary drift)	3-7
3.4.6	Mid-Oligocene and younger (post-Ru4/Ch1 SB) successions (younger Tertiary drift)	3-7
3.5	COMPARISON WITH AFRICAN COUNTERPART BASINS	3-7
3.5.1	Basin equivalents	3-7
3.5.2	Tectonic setting/structural framework	3-8
3.5.3	South Atlantic Aptian and older successions (rift and rift/drift transition)	3-8
3.5.4	Albian to mid-Cenomanian successions (older Cretaceous drift)	3-9
3.5.5	Mid-Cenomanian to Cretaceous/Tertiary boundary successions (younger Cretaceous drift)	3-9
3.5.6	Tertiary successions (drift)	3-9
4	STRATIGRAPHY	4-1
4.1	INTRODUCTION	4-1
4.1.1	Lithostratigraphy	4-1
4.1.2	Biostratigraphy	4-1
4.1.2.1	Micropalaeontology	4-1
4.1.2.2	Nannopalaeontology	4-2
4.1.2.3	Palynology	4-2
4.1.3	Sequence stratigraphy	4-2
4.1.4	Palaeoenvironments	4-3
4.2	LITHOSTRATIGRAPHY	4-3
4.2.1	Introduction	4-3
4.2.2	Espirito Santo Basin	4-3
4.2.2.1	Introduction	4-3
4.2.2.2	Lower Cretaceous (part) formations (Nativo Group)	4-4
4.2.2.3	'Mid'-Cretaceous formations (Barra Nova Group)	4-5
4.2.2.4	'Mid'-Cretaceous to Pleistocene formations (Espirito Santo Group)	4-6
4.2.3	Campos Basin	4-7
4.2.3.1	Introduction	4-7
4.2.3.2	Lower Cretaceous (part) formations	4-7
4.2.3.3	'Mid'-Cretaceous formations	4-8
4.2.3.4	'Mid'-Cretaceous to Pleistocene formations (Campos Group)	4-9
4.2.4	Santos Basin	4-10
4.2.4.1	Introduction	4-10
4.2.4.2	Lower Cretaceous (part) formations	4-11
4.2.4.3	'Mid'-Cretaceous formations	4-11
4.2.4.4	'Mid'-Cretaceous to Pleistocene formations	4-12
4.3	BIOSTRATIGRAPHY	4-14

4.3.1	Introduction	4-14
4.3.2	Nomenclature	4-14
4.3.3	Calibration to Petrobras zonation	4-14
4.3.4	Composite biostratigraphic zonation	4-14
4.4	SEQUENCE STRATIGRAPHY	4-27
4.4.1	Introduction	4-27
4.4.2	Sequence stratigraphic methodology	4-27
4.4.3	Comparative sequence stratigraphy	4-28
4.4.4	Sequence boundaries	4-29
4.4.5	Sand distribution	4-35
4.5	PALAEOENVIRONMENTS	4-36
4.5.1	Introduction	4-36
4.5.2	Lithology and microfacies	4-36
4.5.3	Fossils	4-37
4.5.3.1	Introduction	4-37
4.5.3.2	Microfossils	4-37
4.5.3.3	Macrofossils	4-43
4.5.3.4	Palynomorphs	4-43
4.5.3.5	Calcareous nannofossils	4-43
4.5.4	Comparison and correlation	4-44
5	SEISMIC DATA	5-1
5.1	INTRODUCTION	5-1
5.2	SYNTHETICS	5-1
5.3	SEISMIC SEQUENCE BOUNDARY RECOGNITION	5-1
5.4	ISOCHORE MAPS	5-2
6	WELL REPORTS	6-1
6.1	1-BPS-007 WELL	6-2
6.2	1-BSS-068 WELL	6-7
6.3	1-BSS-083 WELL	6-10
6.4	1-ESS-064 WELL	6-13
6.5	1-ESS-086A WELL	6-18
6.6	1-ESS-090A WELL	6-22
6.7	1-ESS-092 WELL	6-25
6.8	1-ESS-094 WELL	6-27
6.9	1-PRS-003 WELL	6-31
6.10	1-RJS-525A WELL	6-36
6.11	1-RJS-529D WELL	6-39
6.12	1-RJS-531 WELL	6-42
6.13	1-RJS-532 WELL	6-46
6.14	1-RJS-535B WELL	6-50
6.15	1-RJS-538 WELL	6-53
6.16	1-RJS-539 WELL	6-56
6.17	1-RJS-540 WELL	6-60
6.18	1-RJS-541 WELL	6-62
6.19	1-RJS-542 WELL	6-65
6.20	1-RJS-543 WELL	6-68
6.21	1-RJS-545 WELL	6-71
6.22	1-RJS-546 WELL	6-75

6.23	1-RJS-547 WELL	6-78
6.24	3-RO-005-RJS WELL	6-81
6.25	1-SPS-032A WELL	6-85
7	SELECTED REFERENCES	7-1

Figures

3.1	Abridged Tertiary sequence stratigraphic scheme
3.2	Abridged Cretaceous sequence stratigraphic scheme
3.3	Simplified structural elements map
4.1	Classification of marine benthonic environments (adapted from Hedgpeth, 1957; Murray, 1973, 1991; Berggren, 1978 and Ingle, 1990)

Volume 2: Plates**Plates**

- 2.1 Study wells location map
- 2.2 Structural elements map
- 2.3 Correlation line location map
- 2.4 Sequence thickness map: Ce3/Ce4 SB - Cam2 SB
- 2.5 Sequence thickness map: Cam2 SB - Ma5 SB
- 2.6 Sequence thickness map: Ma5 SB - Sel2 SB
- 2.7 Sequence thickness map: Sel2 SB - Yp10 SB
- 2.8 Sequence thickness map: Yp10 SB - Pr1 SB
- 2.9 Sequence thickness map: Pr1 SB - Ru4/Ch1 SB
- 2.10 Sequence thickness map: Ru4/Ch1SB - Aq3/Bur1 SB
- 2.11 Palaeoenvironment and schematic sand distribution maps: Campos and Espirito Santo Basins
- 2.12 Palaeoenvironment and schematic sand distribution maps: Santos Basin
- 2.13 Tabulated sequence boundary (SB) and maximum flooding surface (MFS) picks
- 2.14 Tabulated TWTs for sequence boundaries (SBs) and maximum flooding surfaces (MFSs) for key wells
- 2.15 Tabulated biostratigraphic events
- 2.16 Example section: A17 SB
- 2.17 Example section: Ce3/Ce4 SB
- 2.18 Example section: Pr4/Ru1SB and Ru4/Ch1 SB
- 2.19 Example section: Bur5/Lan1 SB

CONTENTS**Volume 3: Enclosures****Enclosures**

- 3.1 Tertiary sequence stratigraphic scheme
- 3.2 Cretaceous sequence stratigraphic scheme
- 3.3 Correlation line A: 1-RJS-547, 1-RJS-545, 3-RO-005-RJS, 1-RJS-535B, 1-ESS-092, 1-ESS-094, 1-ESS-086A, 1-ESS-090A
- 3.4 Correlation line B: wells 1-RJS-529D, 1-RJS-525A, 1-RJS-531, 1-RJS-532, 1-RJS-540, 1-RJS-543
- 3.5 Correlation line C: wells 1-BSS-083, 1-SPS-032A, 1-RJS-542, 1-RJS-539
- 3.6 Well 1-BPS-007 summary log (1:2000 scale)
- 3.7 Well 1-BSS-068 summary log (1:2000 scale)
- 3.8 Well 1-BSS-083 summary log (1:2000 scale)
- 3.9 Well 1-ESS-064 summary log (1:2000 scale)
- 3.10 Well 1-ESS-086A summary log (1:2000 scale)
- 3.11 Well 1-ESS-090A summary log (1:2000 scale)
- 3.12 Well 1-ESS-092 summary log (1:2000 scale)
- 3.13 Well 1-ESS-094 summary log (1:2000 scale)
- 3.14 Well 1-PRS-003 summary log (1:2000 scale)
- 3.15 Well 1-RJS-525A summary log (1:2000 scale)
- 3.16 Well 1-RJS-529D summary log (1:2000 scale)
- 3.17 Well 1-RJS-531 summary log (1:2000 scale)
- 3.18 Well 1-RJS-532 summary log (1:2000 scale)
- 3.19 Well 1-RJS-535B summary log (1:2000 scale)
- 3.20 Well 1-RJS-538 summary log (1:2000 scale)
- 3.21 Well 1-RJS-539 summary log (1:2000 scale)
- 3.22 Well 1-RJS-540 summary log (1:2000 scale)
- 3.23 Well 1-RJS-541 summary log (1:2000 scale)
- 3.24 Well 1-RJS-542 summary log (1:2000 scale)
- 3.25 Well 1-RJS-543 summary log (1:2000 scale)
- 3.26 Well 1-RJS-545 summary log (1:2000 scale)
- 3.27 Well 1-RJS-546 summary log (1:2000 scale)
- 3.28 Well 1-RJS-547 summary log (1:2000 scale)
- 3.29 Well 3-RO-005-RJS summary log (1:2000 scale)
- 3.30 Well 1-SPS-032A summary log (1:2000 scale)
- 3.31 Synthetic seismograms and biostratigraphic picks at key wells
- 3.32 Seismic line and well location map
- 3.33 Seabed TWT structure
- 3.34 'Neogene' (seabed to Ru4/Ch1) TWT thickness
- 3.35 'Palaeogene' (Ru4/Ch1 to Cretaceous/Tertiary boundary) TWT thickness
- 3.36 'Upper Cretaceous' (Cretaceous/Tertiary boundary to top Albian) TWT thickness
- 3.37 'Albian' (top Albian-top Salt) TWT thickness