

Restrição Definitiva por Estado

BR	UF	PNV	Km Inicial	Km Final	Pista 1							Pista 2						
					Altura	Largura Faixa de Rolamento	Largura Total	Peso	Raio de Giro	Comp.	Altura	Largura Faixa de Rolamento	Largura Total	Peso	Raio de Giro	Comp.		
116	PR	116BPR2710	0,0	22,7	5,3	10,0						5,8	10,0					
116	PR	116BPR2720	22,7	34,3	6,3	10,0												
116	PR	116BPR2725	34,3	42,2	6,3	10,0						6,3	10,0					
116	PR	116BPR2730	42,2	59,3	6,3	10,0						6,3	10,0					
116	PR	116BPR2740	59,3	71,1	6,3	10,0						6,3	10,0					
116	PR	116BPR2760	96,9	106,4	6,3	10,6	11,6					6,3	10,6	11,6				
116	PR	116BPR2790	119,2	128,1	5,5	7,0	10,0											
116	PR	116BPR2793	128,1	145,5	4,5	3,5	7,6											
116	PR	116BPR2797	145,5	156,3		6,8	12,4											
116	PR	116BPR2800	156,3	170,6		7,0	12,4											
116	PR	116BPR2803	170,6	194,8		7,0												
116	PR	116BPR2810	194,8	214,9	6,1	3,5	5,5		29,6									
153	PR	153BPR1210	0,0	1,0	5,0	3,4						5,0	3,4					
153	PR	153BPR1213	1,0	19,1	6,0	5,5												
153	PR	153BPR1220	19,1	24,7	6,5	12,7												
153	PR	153BPR1230	24,7	39,9		8,0												
153	PR	153BPR1240	39,9	41,0	6,4	14,0												
153	PR	153BPR1255	43,9	52,5	5,8	7,8												
153	PR	153BPR1270	52,5	66,6	5,8													
153	PR	153BPR1290	66,6	68,4	5,8	12,2												
153	PR	153BPR1293	68,4	82,7	5,8	12,2												
153	PR	153BPR1295	82,7	99,2	5,8	12,2												
153	PR	153BPR1297	99,2	105,0	5,8	12,2												
153	PR	153BPR1298	105,0	108,0		12,2												
153	PR	153BPR1300	108,0	110,1		12,2												
153	PR	153BPR1305	110,1	112,4		12,2												
153	PR	153BPR1330	161,4	204,2	5,5													
153	PR	153BPR1350	204,2	246,5		7,1												
153	PR	153BPR1410	306,7	329,9	5,5													
153	PR	153BPR1420	329,9	331,7	5,5							5,5						
153	PR	153BPR1448	417,0	434,0	5,8	7,2												
153	PR	153BPR1450	435,7	450,5	5,8	7,2												
153	PR	153BPR1470	450,5	456,5		8,2												
153	PR	153BPR1475	456,5	457,3		8,2												
153	PR	153BPR1480	457,3	459,1		8,2												
153	PR	153BPR1490	459,1	485,3		8,2												
153	PR	153BPR1497	485,3	492,8	5,6	8,2												
153	PR	153BPR1500	492,8	523,2		8,2												
153	PR	153BPR1510	523,2	524,5		8,2												
158	PR	158BPR0870	196,8	208,0	7,0	5,4												
158	PR	158BPR0875	208,0	217,8		15,0	16,0											
158	PR	158BPR0970	502,8	531,4	5,8	8,4												
158	PR	158BPR9020	0,0	4,8	5,5													
163	PR	163BPR0120	280,4	331,8	5,7	12,2												
163	PR	163BPR0125	331,8	343,7	5,7	12,2												
272	PR	272BPR0298	83,2	86,2		12,2												
272	PR	272BPR0300	86,2	88,3		12,2												
272	PR	272BPR0305	88,3	90,6		12,2												
272	PR	272BPR0440	307,8	344,7	5,5													
272	PR	272BPR0445	344,7	354,5		15,0	16,0											
272	PR	272BPR0455	363,0	366,0	6,5													
272	PR	272BPR0470	368,7	410,0		12,2												
272	PR	272BPR0500	419,1	437,9	5,4													
272	PR	272BPR0560	527,0	554,0	5,6	10,0												
277	PR	277BPR0010	0,0	4,7	4,1													
277	PR	277BPR0015	4,7	6,5	5,2		10,0					5,2		10,0				
277	PR	277BPR0020	6,5	9,9	4,7		12,0					4,7		12,0				
277	PR	277BPR0038	70,4	79,9	6,3	10,6	11,6					6,3	10,6	11,6				
277	PR	277BPR0051	92,7	93,6	5,5							5,5						
277	PR	277BPR0053	93,6	107,3	5,5	12,5						5,5	12,5					
277	PR	277BPR0055	107,3	122,2	5,5							5,5						
277	PR	277BPR0060	124,3	130,2	6,5							6,5						
277	PR	277BPR0065	130,2	134,0	6,5													
277	PR	277BPR0070	134,0	140,5	5,0													
277	PR	277BPR0075	140,5	147,5	5,5		12,0					5,5		12,0				
277	PR	277BPR0085	153,9	164,7	5,5		12,3											
277	PR	277BPR0090	164,7	176,0	5,2		10,0											
277	PR	277BPR0097	176,0	177,7	6,2		12,2											
277	PR	277BPR0110	177,7	240,6	6,2		12,2											
277	PR	277BPR0135	245,3	249,0	5,9													
277	PR	277BPR0140	249,0	281,2	5,4		12,3											
277	PR	277BPR0160	285,7	303,8	5,6		10,2											
277	PR	277BPR0170	303,8	327,2	5,9		10,2											
277	PR	277BPR0190	327,2	343,9	5,0	8,2	8,7											
277	PR	277BPR0205	343,9	349,3	5,0	8,2	8,8											
277	PR	277BPR0210	349,3	355,0	5,5		8,8											
277	PR	277BPR0215	355,0	373,0		10,0	10,5											
277	PR	277BPR0220	373,0	403,5	5,1	8,3	9,7											
277	PR	277BPR0230	403,5	426,0	5,3	7,3	8,1											
277	PR	277BPR0235	426,0	435,0		7,3	8,0											
277	PR	277BPR0240	435,0	455,1	6,0	12,2	12,8											
277	PR	277BPR0250	457,9	480,1	6,2	12,2	12,6											
277	PR	277BPR0270	480,1	521,3	6,4	8,9	13,9											
277	PR	277BPR0290	521,3	575,0	6,2		12,1											
277	PR	277BPR0295	575,0	583,1	6,0		7,0											
277	PR	277BPR0300	583,1	586,9	5,7		7,0											
277	PR	277BPR0305	586,9	597,2	5,7	8,4	12,4											
277	PR	277BPR0310	597,2	605,1	6,0		7,0					6,0		7,0				
277	PR	277BPR0315	605,1	611,7	5,7		13,1											
277	PR	277BPR0320	611,7	634,9	5,7		13,1											
277	PR	277BPR0335	640,4	652,5	5,6		13,0											
277	PR	277BPR0340	652,5	658,6	5,5		10,6											
277	PR	277BPR0345	658,6	660,5	6,1													
277	PR	277BPR0350	660,5	669,4	5,9		8,7											
277	PR	277BPR0355	669,4	673,6	5,6	8,2	8,9											



376	PR	376BPR9000	0,0	5,3	5,5												
376	PR	376BPR9020	0,0	1,5	5,5												
376	PR	376BPR9030	1,5	8,6	5,5												
376	PR	376BPR9040	8,6	10,0	5,5												
376	PR	376BPR9280	0,0	32,3	5,0												
376	PR	376BPR9520	2,1	8,0	6,5												
376	PR	376BPR9530	8,0	11,8	6,5												
376	PR	376BPR9531	11,8	18,3	5,0												
466	PR	466BPR0007	1,3	2,9	5,5	12,5	13,3										
466	PR	466BPR0010	2,9	9,3	5,5	4,8											
466	PR	466BPR0015	9,3	14,8	5,5												
466	PR	466BPR0025	17,4	20,3	5,5												
466	PR	466BPR0030	20,3	27,9	5,5												
466	PR	466BPR0160	429,3	430,1		8,2											
466	PR	466BPR0170	433,1	435,3	5,6	6,0											
469	PR	469BPR0030	12,7	15,4	5,0	8,1											
469	PR	469BPR0040	15,4	21,4	5,0	8,1											
469	PR	469BPR0050	21,4	33,0	5,0	8,1											
469	PR	469BPR9000	0,0	1,8	5,1	13,3											
476	PR	476BPR0040	53,3	93,3		7,0											
476	PR	476BPR0060	122,4	127,4	5,5												
476	PR	476BPR0065	127,4	129,3	5,5												
476	PR	476BPR0070	129,3	132,9	5,5												
476	PR	476BPR0080	132,9	142,8	5,5												
476	PR	476BPR0085	142,8	143,7	5,5												
476	PR	476BPR0090	143,7	151,3	5,4	10,3											
476	PR	476BPR0094	156,0	172,7	5,4	10,3											
476	PR	476BPR0095	172,7	195,8	5,2	10,6											
476	PR	476BPR0100	195,8	197,7	5,3												
476	PR	476BPR0110	197,7	257,7	5,8	7,2											
476	PR	476BPR0120	257,7	273,8	5,8	7,2											
476	PR	476BPR0125	273,8	277,9	5,8	7,2											
476	PR	476BPR0130	277,9	306,1	5,8	7,2											
476	PR	476BPR0140	306,1	325,4	5,8	7,2											
476	PR	476BPR0145	325,4	342,4	5,8	7,2											
476	PR	476BPR0150	344,1	358,9	5,8	7,2											
476	PR	476BPR0153	358,9	361,2		7,2											
476	PR	476BPR0157	361,2	363,9		7,2											
476	PR	476BPR0160	363,9	366,1	5,6	6,0											
487	PR	487BPR0155	175,5	178,5	6,5												
487	PR	487BPR0165	180,5	183,5	5,5												
487	PR	487BPR0170	183,5	188,6	5,5	9,7											
487	PR	487BPR0330	491,0	506,9	6,6		10,0										
487	PR	487BPR0340	506,9	518,4	5,5												