



CARTA PROPOSTA 16/06/2026

Belo Horizonte, 16 de Junho de 2026.

MINISTÉRIO DA JUSTIÇA E SEGURANÇA PÚBLICA

Esplanada dos Ministérios, Anexo II, SI 612, CEP 70055-900, Brasília/DF

REF.: PREGÃO ELETRÔNICO Nº. 90001 2026

UASG Nº. 200005

Atendendo à solicitação de V. Sas. estamos encaminhando para devida apreciação nossa listagem de produtos para comercialização dos itens descritos a seguir:

| ITEM | QTD | DESCRIÇÃO | PREÇO UNIT. |
|------------------------------|-----|--|--------------|
| 02 | 04 | SCANNER FUJTSU FI-8170 P/N PA03810-B051 | |
| Preço unitário com ICMS..... | | | R\$5.114,46 |
| Preço total com ICMS..... | | | R\$20.457,84 |

CONDIÇÕES GERAIS.

CONDIÇÕES DE PAGAMENTO: Será efetuado, após o recebimento do material, crédito em conta corrente indicada pelo CONTRATADO, em conformidade com edital.

GARANTIA: Garantia conforme edital.

IMPOSTOS: Inclusos no preço conforme local de entrega.

FRETE: Incluso.

VALIDADE: De 60 dias.

ENTREGA: A entrega do material será efetuada em conformidade com edital na condição CIF, devidamente acondicionado

Certos de estarmos oferecendo o produto da mais alta qualidade, colocamo-nos à inteira disposição de V. Sas. para quaisquer outros esclarecimentos que se fizerem necessários.


Pablo Trevas Rodrigues

PABLO TREVAS
RODRIGUES:11349841625

Assinado de forma digital por PABLO
TREVAS RODRIGUES:11349841625
Dados: 2026.06.15 15:10:47 -03'00'

TR Tecnologia e Comércio Ltda

Filial ES CNPJ: 28.880.531/0002-16 – Insc. Estadual: 084.047.25-9

Correspondência Rua José Júlio Ferreira, 254 – Bairro Fernão Dias – CEP 31.910-460 – Belo Horizonte – MG

Fone Direto (31) 99982-1725 – E-mail: licitacao@trtecbrasil.com

www.trtecbrasil.com



CARTA PROPOSTA 16/06/2026

Belo Horizonte, 16 de Junho de 2026.

MINISTÉRIO DA JUSTIÇA E SEGURANÇA PÚBLICA

Esplanada dos Ministérios, Anexo II, SI 612, CEP 70055-900, Brasília/DF

REF.: PREGÃO ELETRÔNICO Nº. 90001 2026

UASG Nº. 200005

PROPOSTA ECONÔMICA

1. Razão Social da Empresa: TR Tecnologia e Comércio Ltda –
2. CNPJ Nº: 28.880.531/0002-16
3. Inscrição Estadual: 084.047.25-9
4. Inscrição Municipal: 4759024
5. End.: Rodovia ES-010, 2594, km 2.60 Quadra CHA, Lote 343, Sala B54
Jardim Limoeiro – Serra/ES Cep: 29.164-140 – E-mail: licitacao@trtecbrasil.com
6. Direto:(31) 99982-1725
7. Validade da Proposta: 60 dias
8. Prazo de Pagamento: Será efetuado em conformidade com edital, mediante crédito em conta corrente indicada pelo CONTRATADO
9. Banco Nº. 341 ITAÚ- Agência:2932 Conta Corrente: 99305-4
10. Representante da Empresa: Pablo Trevas Rodrigues
11. Representante Legal RG: MG 20.006.423 CPF: 113.498.416-25
12. A Unidade da Federação na qual será emitido o documento fiscal é Espírito Santo
13. Apresentamos nossa Proposta para o **Pregão Eletrônico Nº 90001/2026**, cujo objeto é **AQUISIÇÃO DE PRODUTOS DE INFORMÁTICA**, acatando todas as estipulações consignadas no Edital, conforme abaixo:

| ITEM | DESCRIÇÃO | UNIDADE | QT | VALOR UNITÁRIO | VALOR (R\$) TOTAL |
|------|---|---------|----|----------------|-------------------|
| 02 | SCANNER FUJTSU FI-8170 P/N PA03810-B051 | UN | 04 | 5.114,46 | 20.457,84 |

14. No preço estão contidos todos os custos e despesas diretas e indiretas, tributos incidentes, encargos sociais, previdenciários, trabalhistas e comerciais, taxa de administração e lucro, materiais e mão-de-obra a serem empregados, seguros, fretes, rotulagem, embalagens, e quaisquer outros necessários para instalação ao fiel e integral cumprimento do objeto do Edital e seus Anexos;
15. **Garantia do objeto:** Declaramos que a Garantia conforme edital.


Pablo Trevas Rodrigues

PABLO TREVAS RODRIGUES:11349841625

Assinado de forma digital por PABLO TREVAS RODRIGUES:11349841625
Dados: 2026.06.15 15:10:59 -03'00'

TR Tecnologia e Comércio Ltda

Filial ES CNPJ: 28.880.531/0002-16 – Insc. Estadual: 084.047.25-9

Correspondência Rua José Júlio Ferreira, 254 – Bairro Fernão Dias – CEP 31.910-460 – Belo Horizonte – MG

Fone Direto (31) 99982-1725 – E-mail: licitacao@trtecbrasil.com

www.trtecbrasil.com

Datasheet

FUJITSU Image Scanner fi-8170

Efficiency at new heights with evolved feeding



■ **Reliable.** State-of-art feeding and optical technologies.

■ **Quality images.** The best you can get.

■ **Paper handling.** Scan with confidence.

State-of-art feeding technology - streamline workflow

In the "Manual Feed Mode", the fi-8170 scans copy forms and passports or booklets up to thicknesses of 7 mm without the carrier sheet. Precise multi-feed detection on a wide range of documents like plastic cards and documents with attachments, enable continual scanning with the same profiles. In addition, the "Automatic Separation Control" optimizes paper feed to match the number of sheets loaded, preventing interruptions. "Image Monitoring" also performs checks, real-time, for image skews, and provides enhanced paper protection.

Optimized high-quality images

The fi-8170 comes with "Clear Image Capture", a unique and dedicated image correction technology that generates unparalleled, high-definition images while keeping power consumption to the minimum. Three sensors detect tips of documents to assure accurate image data without defects and prevents image loss.

Better usability and flexibility for any environment

The fi-8170 supports multiple operation modes according to users' environments, may that require sharing among teams with PC-less colleagues, or LAN connectivity and USB 3.2.

The flexibility to use with imprinter options opens up the capability for total document management and assists in document archiving requirements that are prevalent in many industries.

Efficiency optimized, simplicity achieved, with expanded software functionalities

The scanner driver, PaperStream IP, comes with a simplified, user-friendly interface that provides icon visibility for easy setting configurations. Users can consistently achieve scanned outputs of correct orientations with the "Automatic Rotation" function, and store frequently scanned documents in specific formats using the "pattern matching" method. Efficiency with simplification brings users, a reduction to operation time as well - on frequent and routine operations like deleting blank pages, or correcting page orientations, just by following the optimal settings suggested by the "Settings Assistant" on the integrated PaperStream Capture software. Documents can be retrieved more efficiently with the "PDF keyword setting" function, instead of being constrained to file names alone.

Technical Information

| | |
|---|---|
| Scanner Type | ADF (Automatic Document Feeder) / Manual Feed, Duplex |
| Scanning Speed* ¹ (A4 Portrait) (Color* ² /Grayscale* ² /Monochrome* ³) | Simplex: 70 ppm (200/300 dpi) Duplex: 140 ipm (200/300 dpi) |
| Image Sensor Type | CIS x 2 (front x 1, back x 1) |
| Light Source | RGB LED x 2 (front x 1, back x 1) |
| Optical Resolution | 600 dpi |
| Output Resolution* ⁴ (Color / Grayscale / Monochrome) | 50 to 600 dpi (adjustable by 1 dpi increments), 1,200 dpi (driver)* ⁵ |
| Output Format | Color: 24-bit, Grayscale: 8-bit, Monochrome: 1-bit |
| Background Colors | White / Black (selectable) |
| Document Size | |
| Maximum* ⁶ | 215.9 x 355.6 mm (8.5 x 14 inch) |
| Minimum | 48 x 50 mm (1.9 x 2 inch) |
| Long Page Scanning* ⁷ | 6,096 mm (240 inch) |
| Paper Weight (Thickness) | |
| Paper | 20 to 465 g/m ² (5.3 to 124 lb)* ⁸ |
| Booklet | Less than 7 mm (0.276 inch)* ⁹ |
| Plastic Card | 1.4 mm (0.055 in.) or less* ¹⁰ |
| ADF Capacity* ¹¹ * ¹² | 100 sheets (A4 80 g/m ² or Letter 20 lb) |
| Expected Daily Volume* ¹³ | 10,000 sheets |
| Multifeed Detection | Overlap detection (Ultrasonic sensor), Length detection |
| Paper Protection | Image monitoring, Sound detection (iSOP)* ¹⁴ |
| Interface | |
| USB | USB 3.2 Gen1x1 / USB 2.0 / USB 1.1 |
| Ethernet | 10BASE-T, 100BASE-TX, 1000BASE-T |
| Power Requirements | AC 100V - 240V 50/60 Hz |
| Power Consumption | |
| Operating Mode | 28 W or less / 17 W (Eco mode) |
| Sleep Mode | 2.0 W or less (LAN) / 1.4 W or less (USB) |
| Auto Standby (Off) Mode | 0.2 W or less |
| Operating Environment | |
| Temperature | 5 to 35 °C (41 to 95 °F) |
| Relative Humidity | 15 to 80% (non-condensing) |

| | |
|---|--|
| Environmental Compliance | ENERGY STAR®, RoHS |
| Dimensions* ¹⁵ (Width x Depth x Height) | 300 x 170 x 163 mm (11.8 x 6.7 x 6.4 inch) |
| Weight | 4 kg (8.8 lb) |
| Supported Operating System | Windows® 11, Windows® 10, Windows® 8.1, Windows® 7, Windows Server® 2022, Windows Server® 2019, Windows Server® 2016, Windows Server® 2012 R2, Windows Server® 2012, Windows Server® 2008 R2, macOS, Linux (Ubuntu) |
| Included Software / Drivers | PaperStream IP Driver (TWAIN/TWAIN x64/ISIS), WIA Driver* ¹⁶ , Image Scanner Driver for macOS (ICA)* ¹⁶ * ¹⁷ , Image Scanner Driver for Linux (SANE)* ¹⁶ * ¹⁷ , PaperStream Capture, PaperStream ClickScan* ¹⁷ , Software Operation Panel, Error Recovery Guide, ABBYY FineReader for ScanSnap™* ¹⁷ , Scanner Central Admin |
| Image Processing Functions | Multi image output, Automatic color detection, Blank page detection, Dynamic threshold (iDTC), Advanced DTC, SDTC, Error diffusion, Dither, De-Screen, Emphasis, Dropout color (None/Red/Green/Blue/White/Saturation/Custom), sRGB output, Hole punch removal, Index tab cropping, Split image, De-Skew, Edge filler, Vertical streaks reduction, Background pattern removal, Cropping, Static threshold |
| Included Items | ADF paper chute, AC cable, AC adapter, USB cable, Setup DVD-ROM |

Options

| | | |
|--|--------------|---|
| Post Imprinter (FI-819PRB) | PA03810-D201 | Prints on the back of the document |
| Carrier Sheets | PA03360-0013 | Pack of 5 sheets |
| Photo Carrier Sheets | PA03770-0015 | Pack of 3 sheets |
| Booklet Carrier Sheet | PA03810-0020 | Pack of single sheet |
| 2D Barcode for PaperStream | PA43404-A433 | Reads PDF417, QR code, Data Matrix, Aztec Code |
| PaperStream Capture Pro Scan Station (WG) | PA43404-A665 | PaperStream Capture Pro optional license |

Consumables

| | | |
|-----------------|--------------|---|
| Brake Roller | PA03810-0001 | Every 200,000 sheets or one year |
| Pick Roller | PA03670-0002 | Every 200,000 sheets or one year |
| Print Cartridge | CA00050-0262 | 4,000,000 printed characters or 6 months after opening the package |

*¹ Actual scanning speeds may vary with data transmission and software processing times. *² Indicated speeds are from using JPEG compression. *³ Indicated speeds are from using TIFF CCITT Group 4 compression. *⁴ Selectable maximum resolution may vary depending on the length of the scanned document. *⁵ Limitations may apply to the size of documents that can be scanned, depending on system environment, when scanning at high resolution (over 600 dpi). *⁶ Maximum document width possible for scanning is 240 mm (9.5 inch). *⁷ For use with PaperStream NX Manager, the maximum resolution supported is 400 dpi, with maximum lengths ranging with resolution. Simplex: 1,828.8 mm (72 in.) [below 300 dpi], 355.6 mm (14 in.) [below 400 dpi]. Duplex: 863.6 mm (34 in.) [below 300 dpi], 355.6 mm (14 in.) [below 400 dpi]. *⁸ Thicknesses of up to 128 to 209 g/m² (34 to 56 lb) can be scanned for A8 (52 x 74 mm / 2.1 x 2.9 inch) sizes. *⁹ Indicated thickness is inclusive of Booklet Carrier Sheet thickness when using the Carrier Sheets. *¹⁰ Continuous feeding is supported when scanning up to 10 unembossed cards with thicknesses of 0.76 mm or less. *¹¹ Maximum capacity depends on paper weight and may vary. *¹² Capable of setting additional documents while scanning. *¹³ Numbers are calculated using scanning speeds and typical hours of scanner use, and are not meant to guarantee daily volume or unit durability. *¹⁴ Intelligent Sonic Paper Protection. *¹⁵ Excludes the ADF paper chute and stacker. *¹⁶ Functions equivalent to those offered by PaperStream IP may not be available with the Image Scanner Driver for macOS/Linux or WIA Driver. *¹⁷ Refer to the fi Series Support Site for driver/software downloads and full lineup of all supported operating system versions. <https://www.fujitsu.com/global/support/products/computing/peripheral/scanners/fi/>.

Trademarks
ISIS is a trademark of Open Text. Microsoft, Windows, and Windows Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. macOS is a trademark of Apple Inc., registered in the U.S. and other countries. Linux is the registered trademark of Linus Torvalds in the U.S. and other countries. Any other products or company names appearing in this document are the trademarks or registered trademarks of the respective companies.

Safety Precautions
Please carefully read the safety precautions prior to the use of this device and follow the recommended instructions for correct use. Do not place this device in wet, moist, highly humid, dusty or oily areas. Use of this device under such conditions may result in electrical shock, fire or damage to the device. Please use this device within the power ratings listed.

ENERGY STAR®
PFU Limited, a Fujitsu company, has determined that this product meets the ENERGY STAR® guidelines for energy efficiency. ENERGY STAR® is a registered trademark of the United States.

Specifications are subject to change without notice. Visit your local Fujitsu website for more information.

Contact

| | | | | | |
|--|--|--|--|---|--|
| Indonesia PT Fujitsu Indonesia Tel: +62 21 570 9330 marketing.fid@fujitsu.com www.fujitsu.com/id/scanners | Malaysia Fujitsu (Malaysia) Sdn Bhd Tel: +603 8230 4188 askfujitsu.my@fujitsu.com www.fujitsu.com/my/scanners | Philippines Fujitsu Philippines, Inc. Tel: +63 2 841 8488 info@ph.fujitsu.com www.fujitsu.com/ph/scanners | Singapore Fujitsu Asia Pte Ltd Tel: +65 6512 7555 scanner@fujitsu.com www.fujitsu.com/sg/scanners | Thailand Fujitsu (Thailand) Co., Ltd. Tel: +66 2 302 1500 info.th@fujitsu.com www.fujitsu.com/th/en/scanners | Vietnam Fujitsu Vietnam Limited Tel: + 84 4 2220 3113 sales-vn@fujitsu.com www.fujitsu.com/vn/en/scanners |
|--|--|--|--|---|--|